	Application No.	Applicant(s)
Notice of Allowability	10/002,624	AMONETTE ET AL.
	Examiner	Art Unit
	Richard A Rosenberger	2877
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to the amendemnt filed 11/17/2004.		
2. Maria The allowed claim(s) is/are 15-17.		
3. The drawings filed on 13 November 2001 are accepted by the Examiner.		
4.		
Attachment(s) 1. Notice of References Cited (PTO-892) 2. Notice of Draftperson's Patent Drawing Review (PTO-948) 3. Information Disclosure Statements (PTO-1449 or PTO/SB/O Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	6. ☐ Interview Summary Paper No./Mail Da 08), 7. ☐ Examiner's Amenda	te
·	•	

Application/Control Number: 10/002,624

Art Unit: 2877

1. The following is an examiner's statement of reasons for allowance.

2. As set forth in the previous Office action, the art does not teach or suggest the use of a microtiter plate to hold the sample for photoacoustic measurement. The art suggests the use of photoacoustic spectroscopy with multiple cells, but does not teach or suggest using a microtiter plate as claimed herein.

Page 2

The previous office action included a provisional double patenting rejection over copending application 10/002,602. That action noted that claim 62 of the copending application included measuring a at least one sample in a microtiter plate. Claim 62 has been cancelled in the copending application; none of the claims in that application now claim the microtiter plate arrangement, or methods using a microtiter plate. Thus there is no double patenting rejection for the remaining claims 15-17, which do claims the microtiter plate.

3. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Art Unit: 2877

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Richard A Rosenberger whose telephone number is (571) 272-2428. The examiner can normally be reached on Monday through Friday during the hours of 8:00-4:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Gregory J. Toatley, Jr. can be reached on (571) 272-2800 ext. 77. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

R. A. Rosenberger 26 November 2004

Richard A. Rosenberger Primary Examiner